AUTHOR: Sokolovskiy, V.V. (Moscow)

TITLE: Axial platic flow between non-circular cylinders

PERIODICAL: Archiwum mechaniki stoswanej, v. 12, no. 2, 1960, 173 - 183

TEXT: In this paper a method is given for reducing the solution of different problems with a non-linear law to that of the same problem with a linear law. A flow is considered between rough cylinders with the outer cylinder stationary, and the inner one with a velowith the outer cylinder stationary, and the z-axis. The velocity components u = v = 0, the strain rate components and the stress components are:

 $\varepsilon_{x} = \varepsilon_{y} = \varepsilon_{z} = \gamma_{xy} = 0$, $v_{x} = \sigma_{y} = \sigma_{z} = \sigma_{o}$, $\tau_{xy} = 0$.

The velocity component w, as well as the strain rate components

Card 1/6

Axial plastic flow ...

Secondary Constitution

P/033/60/012/002/003/008 D214/D301

 $\sqrt[4]{z_x} = \gamma_x$, $\gamma_{yz} = \gamma_y$ and the stress components $\tau_{zx} = \tau_x$, $\tau_{yz} = \tau_y$ are independ of z; thus, they are functions of x and y only. The strain rate components γ_x and γ_y are expressed by the velocity component w as follows

 $2\gamma_{x} = \frac{\partial w}{\partial x}, \qquad 2\gamma_{y} = \frac{\partial w}{\partial y}.$ (1.1)

The basic relations between the strain rate components and the stress components have the usual form. The strain rate components γ_x and γ_y can be expressed by the function $\,$ as follows:

 $2k\gamma_{x} = \frac{2k\gamma_{y}}{x!}, \qquad 2k\gamma_{y} = \frac{\partial \varphi}{y!}, \qquad \varphi = k(w + W)$ (1.5)

$$\tau_{x} = \frac{\partial \Psi}{\partial y}, \qquad \qquad \tau_{y} = -\frac{\partial \Psi}{\partial x^{\tau}}, \qquad \qquad (1.6)$$

Card 2/6

CIA-RDP86-00513R001652120020-2"

APPROVED FOR RELEASE: 08/25/2000

Axial plastic flow ...

where k is a mechanical constant to be introduced below. The basic relations together with Eq. (1.5) and Eq. (1.6) yield the following system of equations

THE STATE OF THE S

$$\frac{\partial \varphi}{\partial x} = 2k \frac{\gamma}{\tau} \tau_x, \quad \frac{\partial \varphi}{\partial y} = 2k \frac{\gamma}{\tau} \tau_y, \quad \frac{\partial \psi}{\partial x} = -\tau_y, \quad \frac{\partial \psi}{\partial y} = \tau_x. \quad (1.7)$$

This system takes the simplest form when γ and τ are connected by linear relation (1.9)

 $\tau = 2 \text{ ky} \tag{1.9}$

which contains one mechanical constant k. The system of Eq. (1.7) can be reduced to a rather convenient form when γ and τ are connected by non-linear relation

$$\tau = \frac{2 k\gamma}{\sqrt{1 + (2 m\gamma)^2}} \tag{1.10}$$

which contains two mechanical constants k and m. The equations are then transformed by means of

Card 3/6

Axial plastic flow ...

$$\tau_x = \tau \cos \theta, \quad \tau_y = \tau \sin \theta.$$

and a new quantity t by

$$\gamma = \frac{t}{1 - m^2 t^2}, \quad \tau = \frac{t}{1 + m^2 t^2}$$

into

$$\begin{cases}
\frac{\partial x}{\partial \varphi} = \frac{1 - m^2 t^2}{t} \cos \theta, & \frac{\partial y}{\partial \varphi} = \frac{1 - m^2 t^2}{t} \sin \theta, \\
-\frac{\partial x}{\partial \psi} = \frac{1 + m^2 t^2}{t} \sin \theta, & \frac{\partial y}{\partial \psi} = \frac{1 + m^2 t^2}{t} \cos \theta,
\end{cases} (2.5)$$

and the determinant of the transformation Δ is

$$\Delta = \frac{\partial x}{\partial \varphi} \frac{\partial y}{\partial \varphi} - \frac{\partial x}{\partial \varphi} \frac{\partial y}{\partial \varphi} = \frac{1}{t^2} - m^4 t^2. \tag{2.6}$$

Card 4/6

Axial plastic flow ...

Since the complex quantities subsequently introduced $T/\overline{\omega}$ are conjugate and the quantity mt is real and varies within the range $0 \le mt \le 1$, it is readily observed that $T/\overline{\omega} = 0$. Consequently the complex quantity T is an arbitrary analytic function of the complex variable ω only; thus:

$$te^{-i\theta} = T, \qquad T = T\omega$$
). (2.8)

for m = 0, the equations

$$dz = \frac{d\omega}{T} - m^2 \overline{T} d\overline{\omega}$$
 (2.7)

take the form

$$dz = \frac{d\omega}{T}$$

and the equations (2.8) will be

$$\tau e^{-i\theta} = T, \qquad T = T(\omega).$$

Card 5/6

Axial plastic flow ...

P/033/60/012/002/003/008 D214/D301

The above equations make it possible to find the solution of the above stated problem on the axial flow between rough cylinders, if one knows the solution of the same problem m = 0. A case is then considered where the inner and outer cross-section contours of the cylinders are confocal ellipses and a numerical example is worked out. There are 2 figures.

ASSOCIATION: Institute of Mechanics. Academy of Sciences, USSR

SUBMITTED: January 18, 1960

Card 6/6


\$/040/60/024/005/025/028 0111/0222


AUTHOR: Sokolovskiy, V.V. (Moscow)

TITLE: The Drawing of a Thin Tube by a Conic Die

PERIODICAL: Prikladnaya matematika i mekhanika, 1960, Vol.24, No.5, pp.959-961

TEXT: At first the author considers the drawing of a thin tube by a conic die under consideration of the usual plasticity condition. Figure 1 shows the initial situation, figure 2 shows an arbitrary situation.





Card 1/5

S/040/60/024/005/025/028 C111/C222

The Drawing of a Thin Tube by a Conic Die

For the tension components \mathcal{G}_1 and \mathcal{G}_2 in meridional and circular direction, the thickness of the tube h and the radial velocity v the author establishes a hyperbolic system of four differential equations: Equilibrium condition:

(1)
$$\frac{\partial (h \in_1)}{\partial r} + \frac{h(G_1 - G_2)}{r} = 0.$$

Plasticity condition:

(2)
$$\phi^2 = \sigma_1^2 - \sigma_1 \sigma_2 + \sigma_2^2 = \sigma_s^2$$
.

Connection between tensions and velocity of deformation:

(3)
$$\frac{\partial \mathbf{v}}{\partial \mathbf{r}} = \frac{2 \, \mathcal{G}_1 - \mathcal{G}_2}{2 \, \mathcal{G}_2 - \mathcal{G}_1} \, \frac{\mathbf{v}}{\mathbf{r}} .$$


Incompressibility condition:

(4)
$$\frac{1}{h} \left(\frac{\partial h}{\partial a} + v \frac{\partial h}{\partial r} \right) + \frac{\partial v}{\partial r} + \frac{v}{r} = 0.$$

CIA-RDP86-00513R001652120020-2" **APPROVED FOR RELEASE: 08/25/2000**

S/040/60/024/005/025/028 C111/C222

The Drawing of a Thin Tube by a Conic Die
The results of the solution according to the difference method show



Card 3/5

S/040/60/024/005/025/028 C111/C222

The Drawing of a Thin Tube by a Conic Die Here $\delta = \delta_1$, the unbroken curves relate to the dependence of a, the dashed curves relate to the dependence of r_0 ($r_0=0.5;0,6;...;1$); it

holds $a_0 = 1$ and for v, a is used as a time-scale.

Then the same problem is investigated according to Prager with a linearized plasticity condition and corresponding dependences between the tension components and components of deformation velocity. Here (1) remains, but instead of (2)-(4) it holds


remains, but instead of
$$(2)^{-(4)} = (1/2 \le \mu \le 1)$$
, (10) $\phi = \mu^{-1} = 6$ $(1/2 \le \mu \le 1)$,

$$(11) \qquad \frac{\partial \mathbf{v}}{\partial \mathbf{r}} + h \frac{\mathbf{v}}{\mathbf{r}} = 0,$$


(12)
$$\frac{1}{h} \left(\frac{\partial h}{\partial a} + v \frac{\partial h}{\partial r} \right) + (1 - m) \frac{v}{r} = 0.$$


The results of an integration for $M = \frac{1}{2}$ show

Card 4/5



The Drawing of a Thin Tube by a Conic Die





There are 6 figures and 2 references, all non-Soviet.

SUBMITTED: June 2, 1960

Card 5/5

S/030/60/000/008/008/013 B021/B054

AUTHORS:

Sokolovskiy, V. V., Corresponding Member of the AS USSR, benskly, V. S., Candidate of Physical and Mathematical

Sciences

TITLE:

Symposium on Plasticity

PERIODICAL:

Vestnik Akademii nauk SSSR, 1960, No. 8, pp. 104-105

TEXT: The authors report on the Symposium held at Brown University (USA) on April 5-7, 1960. The following reports were delivered by Soviet delegates: Yu. N. Rabotnov dealt with problems of creeping, V. V. Sokolovskiy with the plastic flow between noncircular cylinders, and V. S. Lenskiy with the experimental foundation of the theory of composite load.

Card 1/1

LAVRENT YEV, M.A., otv.red.; MIKHAYLOV, G.K., red.; BITSADZE, A.V., red.; VEKUA, I.N., red.; DZHANKLIDZE, G.Yu., red.; LUR'YE, A.I., red.; MANDZHAVIDZE, G.F., red.; MIKHAYLOV, G.K., red.; SEDOV, L.I., red.; SOBOLEV, S.L., red.; SOKOLOVSKIY, V.V., red.; KHRISTIANOVICH, S.A., red.; SHERMAN, D.I., red.; RYVKIN, A.Z., red.izd-va; VOLKOVA, V.V., tekhn.red.

[Problems in the mechanics of solids] Problemy mekhaniki sploshnoi sredy; k semidesiatiletiiu akademika N.I.Muskhelishvili. Moskva. 1961. 577 p. (MIRA 14:3)

1. Akademiya nauk SSSR.

(Mechanics, Analytic) (Elastic solids)

SOKOLOVSKIY, V.V. (Moskva)

Plotting the fields of stresses and speeds in problems of a plastic flow. Inzh.zhur. 1 no.3:116-121 '61. (MIRA 15:2)

1. Institut mekhaniki AN SSSR. (Plasticity)

```
SOKOLOVSKIY, V.V. (Moskva)

Drag of a plastic strip. Prikl. mat. i mekh. 25 no.2:336-341 Mr-
Ap '61.

1. Institut mekhaniki Akademii nauk SSSR.
(Plasticity) (Drag (Aerodynamics))
```

SCKCLCVSKIY, V.V. (Moskva)

Widening a circular aperture in a rigidly plastic plate. Prikl.
mat. i mekh. 25 no.3: 548-552 My-Je '61.

1. Institut mekhaniki AN SSSR.
(Deformations (Mechanics)) (Plasticity)

Some remarks on the linearization of plasticity equations.
Frikl. mat. i melth. 25 no.5:931-932 S-C '61. (MIRE 14:10)

1. Institut nelthaniki Akademii nauk SSSR.
(Flasticity)
(Differential equations)

SOKOLOVSKIY, V.V. (Moskva)

Ultimate equilibrium of a loose medium at small angles of internal friction. Inzh.sbor. 31:119-122 :61. (MIRA 14:6)

1. Institut mekhaniki AN SSSR. (Soil mechanics)

SEDOV, L.I., otv. red.; SOKOLOVSKIY, V.V., red.; DZHANELIDZE, G.Yu., red.; KALININ, S.V., red.; LOYTSYAMSKIY, L.G., red.; LUR'YE, A.I., red.; MIKHAYLOV, V.V., red.; PETROV, G.I., red.; RUMYANTSEV, V.V., red.; SHAPIRO, G.S., red.; CHAKHINEV, A.G., red., izd-va; ZAMARAYEVA, R.A., tekhn. red.

[Proceedingsof the All-Union Congress on theoretical and Applied Mechanics, January 27. February 3, 1960] Trudy Vsesoyuz-nogo swezda po teoreticheskoi i prikladnoi mekhanike. lst, Moscow, 1960; obzornye doklady. Moskva, Izd-vo Akad. nauk SSSR, 1962. 467 p. (MIRA 15:9)

1. Vsesoyuznyy s'ezd po teoreticheskoy i prikladnoy mekhanike. lst. Moscow, 1960. (Mechanics Congresses)

Stress and velocity fields during the drawing of a plastic strip.

Stress and velocity fields during the drawing of a plastic strip.

Inzh.zhur. 2 no.2:288-304 '62. (MIRA 15:6)

1. Institut mekhaniki AN SSSR. (Drawing (Metalwork))

10.7000

S/258/62/002/002/010/018

1028/1228

AUTHOP:

Sokolovskiy, V. V. (Moscow)

TITLE:

Concentration of tangential stresses at a non-linear deformation law

PERIODICAL:

Inzhenernyy zhurnal, v. 2, no. 2, 1962, 332-337

TEXT: Basic equations of the two-dimensional shift are determined (11), (12), and a method for solving thom in the case of a non-linear law of deformation indicated:

(11)

 $dz = d\zeta - n^2 \left(\frac{d\overline{\omega}}{d\overline{\zeta}}\right) d\overline{\zeta}$ $te^{-i\theta} = \frac{d\omega}{d\zeta}$ (12)

 (z, ω, ξ) —complex variables). This method is illustrated by the example of a half-plane weakened by an elliptical cut. The system of equations (11), (12) is solved for a linear law of deformation, and the following solution obtained

$$\omega = \frac{i\tau_{\infty}}{a-b}(bz - a\sqrt{z^2 - c^2}), \qquad c^2 = a^2 - b^2.$$

Card 1/2

S/258/62/002/002/010/018 I028/1228

where a, b are the semi-axes of the ellipse. The solution of the non-linear case is then written in the form:

$$\omega = \frac{it_{\infty}}{\alpha - \beta} (\beta \zeta - \alpha \sqrt{\zeta^2 - \gamma^2}), \qquad \gamma^2 = \alpha^2 - \beta^2$$

and the parameters α and β are determined as functions of a and b by introducing this solution in (11)-(12). As a numerical example the pattern of variation of the tangential stress along the x and y axes is determined. There are 2 figures.

ASSOCIATION: Institut mekhaniki AN SSSR (Institute of Mechanics AS USSR)

SUBMITTED: February 27, 1962

Card 2/2

S/258/63/003/001/018/022 E201/E141

AUTHOR:

Sokolovskiy, V.V. (Moscow)

TITLE:

Stress and velocity fields during the penetration of a punch into a plastic substance

PERIODICAL: Inzhenernyy zhurnal, v.3, no.1, 1963, 160-164

TEXT: A punch with curved face is forced into a plastic substance which is contained in a vessel with smooth walls. The solution is based on earlier work of the author and on R. Hill's book "Mathematical Theory of Plasticity", (Russian translation, 1956). Two sets of coordinates are used. The equations for coordinates x, y, and velocities u, v are:

$$\frac{\partial Y}{\partial \xi} = -\frac{X}{2}, \qquad \frac{\partial X}{\partial \eta} = \frac{Y}{2} \tag{3}$$

$$\frac{\partial U}{\partial E} = \frac{V}{2}, \qquad \frac{\partial V}{\partial \eta} = \frac{U}{2}$$
 (4)

where: $X = x \cos \theta - y \sin \theta$; $Y = y \cos \theta - x \sin \theta$; $U = u \cos \theta - v \sin \theta$; $V = v \cos \theta - u \sin \theta$.

Card 1/3

130

S/258/63/003/001/018/022

Stress and velocity fields during ... E201/E141

The transformation of the x, y coordinates and the u, v velocities into ξ and η is governed by:

$$\frac{\partial(x,y)}{\partial(\xi,\eta)} = -\frac{2}{\sin 2\theta} \frac{\partial x}{\partial \xi} \frac{\partial x}{\partial \eta}, \qquad \frac{\partial(u,v)}{\partial(\xi,\eta)} = \frac{2}{\sin 2\theta} \frac{\partial u}{\partial \xi}.$$

The components of stress and velocity along the characteristic curve at the angle θ to x are given by:

$$\sigma_n = \sigma_t = \sigma, \quad \tau = k, \quad v_n = V, \quad v_t = U$$

and along the η characteristic curve the components are:

long the
$$\eta$$
 characteristic $v_n = \sigma_t = \sigma$, $\tau = -k$, $v_n = -U$, $v_t = V$.

On this basis equations are obtained for stress and velocity at any point in the substance. Results of a numerical example are given, approximate values of the integrals required for the evaluation being obtained by the method of finite differences. There are 4 figures. Card 2/3

Stress and velocity fields during ... S/258/63/003/001/018/022 E201/E141

ASSUCIATION: Institut mekhaniki Akademii nauk SSSR

(Institute of Mechanics, AS USSR)

SUBMITTED: April 4, 1962

Card 3/3

SOKOLOVSKIY, V.V. (Moskva)

Limit equilibrium of a loose medium with variable weight.
Inzh. zhur. 3 no.2:288-299 '63. (MIRA 16:6)

1. Institut mekhaniki AN SSSR.
(Soil mechanics)

L 17153-63 EWP(r)/EWT(m)/BDS AFFTC S/0258/63/003/003/0563/0568 AP3006360 S/0258/63/003/003/0563/0568

AUTHOR: Sokolovskiy, V. V. (Moscow)

TITLE: Plastic flexure of a circular plate 76


SOURCE: Inzhenerny*y zhurnal, v. 3, no. 3, 1963, 563-568

TOPIC TAGS: circular plate, plastic flexure, plastic bending, uniformly loaded circular plate, concentrically loaded circular plate, stress distribution, strain distribution

ABSTRACT: The flexure beyond the elastic range of a circular plate simply supported on the edge is discussed. The method of determining the state of stress (through the bending-moment components along the diametral and circumferential sections) previously developed by the author is outlined, and the investigation of the veloped by the author is outlined, and the investigation of the state of strain is presented in more detail starting with the differential equations of equilibrium and of the slope of deflection. The plastic bending behavior of a plate under uniform normal

Card 1/2

L 17153-63 ACCESSION NR: AP3006360 pressure over its entire area and of a plate under pressure over the area of a circle with a radius smaller than that of the plate is analyzed, and the limit pressure is determined. The variation of the bending-moment components and the slope of deflection over the radius of the plate are shown in diagrams. A solution is obtained in a closed form for both plates under the condition of constancy of maximal tangential stresses. Orig. art. has: 4 figures and 12 formulas. ASSOCIATION: Institut mekhaniki AN SSSR (Institute of Mechanics, AN SSSR) SUBMITTED: 10May63 DATE ACQ: 27Sep63 ENCL: 00 SUB CODE: NO REF SOV: 001



SOKOLOVSKY, V.V. (Moscow)

"Limit equilibrium of a loose medium with non-uniform weight"

Report presented at the 2nd All-Union Congress on Theoretical and Applied Mechanics, Moscow 29 Jan - 5 Feb 64.

L 36412-66 ENT()

ACC NR: AP6021994

SOURCE CODE: UR/0120/66/000/003/0035/0040

AUTHOR: Radkevich, I. A.; Tomashchuk, Yu. F.; Smolyankina, T. G.; Sokolovskiy, V. V.

ORG: Institute of Theoretical and Experimental Physics. CKAE, Moscow (Institut

teoreticheskoy i eksperimental'noy fiziki GKAE)

TITLE: Spark chambers for slow-particle recording

SOURCE: Pribory i tekhnika eksperimenta, no. 3, 1966, 35-40

TOPIC TAGS: spark chamber, nuclear particle, particle counting

ABSTRACT: Frame-type and "pen-box" type spark chambers with an interelectrode gap of 1 cm are described; each type may have thin and thick electrodes. A device for aluminum foil stretching is shown (a sketch), as well as a system for gas filling and gas purification. A 12-gap frame-type chamber had memory times of 300 and 550 nsec for clearing fields of -600 and -400 v, respectively; the efficiency corresponding to the minimum delay was 0.97. Plots of chamber efficiency vs. pulse delay for various clearing voltages are given. "In conclusion, the authors wish to thank A. I. Levkov and S. T. Frankovskiy for their help in measurements and also Yu. I. Oreshkin for his help in building the chambers." Orig. art. has: 8 figures.

SUB CODE: 18 / SUBM DATE: 20May 65 / ORIG REF: 006 / OTH REF: 004/ ATD PRESS: 5039

Card 1/1/1/20

UDC: 539.1.073

ACC NR. AP7007076

Card

1/2

SOURCE CODE: UR/0048/66/030/010/1577/1580

AUTHOR: Denisov, Ye. V.; Dedenko, L. G.; Dubrovina, S. A.; Kotel'nikov, K. A.; Porozov, A. Ye.; Ogurtsov, O. F.; Sokolovskiy, V. V; Slavatinskiy, S. A.; Fetisov, I. N. ORG: Physics Institute im. P. P. Lebedev, AN SSSR (Fizicheskiy institut AN SSSR) TITLE: Nuclear cascade process in an ionization calorimeter [Paper presented at the All-Union Conference on Cosmic radiation physics, Moscow, 15-20 Nov 1965/ SOURCE: AN SSSR. Izvestiya. Seriya fizicheskaya, v. 30, no. 10, 1966, 1577-1580 TOPIC TAGS: pi meson, calorimeter, proton Results of the calculation of the nuclear cascade process in an iron SUB CODE: 20 absorber were correlated with experimental data obtained on the ionization calorimeter of the Tyan'-Shan' Cosmic Ray Station. It was established that at E. = 300 Bev approximately 30% of the energy spent being carried away by strongly ionizing particles ("black tracks"), and the rest by protons with an energy of ~ 150 Mev ("grey tracks"). Errors in the measurement of E. = 200 Bev associated with fluctuations in the recording of strongly ionizing particles amounted to ~ 12% (~ 11% for "black tracks" and ~ 4% for "grey tracks"). In measurements by means of an ionization calorimeter of the energy transmitted to Tro mesons, ionization produced by particles originating from nuclear splitting must be considered. The authors thank N. A. Dobrotin and V. S. Burzin for valuable critical observations, V. G. Ignat'yevaya, Z. G. Yereminaya,

L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya and N. S. Kochurkinaya for processing the experimental L. V. Shibayevaya for pr	
	į

VASILEVSKIY. S.S. [Vasylevs'kyi, S.S.]; SOKOLOVSKIY, V.Yu. [Sokolovs'kyi, V.IU.]

Proposals of efficiency promoters of the Roza Luksemburg Knit-Goods Factory in Kiev. Leh.prom. no.1:85-88 Ja-Mr 62. (MIRA 15:9)

(Kiev--Knit-goods industry--Technological innovations)

Proposals of the efficiency promoters of the "R. Liuksemburg"

Knit Goods Factory in Kiev. Leh. prom. no.4:56-59 O-D '64

(MIRA 18:1)

Magnetic treatment of water for boilers. Vod.i san.tekh. no.2:11
F '63. (Feed-water purification)

SOKOLOVSKIY, Ya.S., inch.

Standard designs for boiler rooms with cast-iron sectional boilers for solid fuel. Yed. i san. tekh.no. 5:2:-29 'c.k. (MIRA 17:9)

SOKCLOVSKIY, Ya.B., inzh.

Concerning the installation of safety valves in steam boilers with pressure no greater than 0.7 kg/cm². Vod. i san. tekhm. no.6:38-39 Ja *64 (MIRA 18:1)

18.1142

67284

sov/180-59-4-16/48

AUTHORS:

Dovgalevskiy, Ya.M. and Sokolovskiy, Ye.I. (Saratov)

TITLE :

Properties and Treatment of AlnicolyType Alloys

PERIODICAL: Izvestiya Akademii nauk SSSR, Otdeleniye tekhnicheskikh nauk, Metallurgiya i toplivo, 1959, Nr 4, pp 99-105 (USSR)

ABSTRACT:

Card 1/2

The influence of various alloying additions and thermal treatments on the mechanical and magnetic properties and structures of alloy ANKO316(iron-nickel-aluminium-cobalt) was studied. The addition of sulphur refines the grain of the alloy somewhat and 0.9% Ti is a very good grain refiner. The microstructure of ANKO3 is shown in Fig 1. With the addition of 0.3% S (Fig 2), the second phase disappears and only sulphur inclusions are present in the structure. 0.9% Ti (Fig 3) results in a fine grained structure with a light coloured constituent. The alloy with 1.7% Ti (Fig 4) contains hard and brittle inclusions. Fig 5 shows an alloy containing 0.3% S and 0.9% Ti. There is a light coloured acicular constituent. Fig 6 shows the strength of various alloys. Sulphur increases the strength. Alloys containing 0.9% Ti (Nr 6) and 0.9% Ti + 0.3% S (Nr 5) are also strong. An alloy containing Nb (Nr 7) and Nb + S (Nr 11) have good properties. Additions of Ta and Pb are unfavourable.

67284

SOV/180-59-4-16/48

Properties and Treatment of Alnico Type Alloys

alloy containing Be (Nr 12) is good. Fig 6 and 7 show that a quench treatment increases the strength of these alloys. Tempering leads to a further increase. The optimum strength and the optimum magnetic properties are shown by alloys containing 0.9% Ti (Fig 8) and 0.3% S (Fig 9). On the basis of the above investigations a new alloy has been developed containing 18% Co, 10% Al, 19% Ni, 2% Cu, 0.9% Ti, 0.3% S. It has similar magnetic properties to ANKO3 but higher strength. This alloy has gone into production. There are 10 figures, 1 table and 2 references, 1 of which is Soviet and 1 English.

SUBMITTED: April 1, 1959

Card 2/2

SOKOLOVSKIY, Ye. V.

Cand Tech Sci - (diss) "Study of condition and technico-economic indices of rural 6-19 kv networks." Moscow, 1961. 12 pp; (Moscow Order of Lenin Agricultural Academy imeni K. A. Timiryazev); 200 copies; price not given; (KL, 5-61 sup, 193)

SOKOLOVSKIY, Ye.V., inzh.

Distribution of energy and power losses in sections of rural 6 to 10 % v. electric power distribution networks. Energetik 9 no.3: 32-35 Mr '61. (MIRA 14:7) (Electricity in agriculture)

SOV/137-57-10-19522

Translation from: Referativnyy zhurnal, Metallurgiya, 1957, Nr 10, p 154 (USSR)

AUTHOR: Sokolovskiy, Ye.Ye.

TITLE: Employment of Peat Semicoke in Forge-welding Operations

(Primeneniye torfyanogo polukoksa v kuznechno-svarochnom

proizvodstve)

PERIODICAL: Tr. Ukr. n.-1. inta nestn. i toplivn. prom-sti, 1956, Nr 11,

pp 29-51

ABSTRACT: Coke and peat semicoke (PSC) may be employed as fuels to

achieve maximum temperatures (1000-1400°C) required for heating of steel during forging and forge-welding operations. Low-land PSC with a high content of ash may completely replace such fuels as hard-coal coke, charcoal, etc. The quality of welds obtained with PSC is comparable to welds produced with other types of fuel. The PSC is successfully employed for brazing of medical equipment and produces high-quality connections possessing greater strength than that of the parent

Card 1/2 metal. One drawback of the system described is the formation

SOV/137-57-10-19522

Employment of Peat Semicoke in Forge-welding Operations

TEMBELIKU DEPUKTURKAN PERUKTUAN PERUKTAN PER

of a slag film on the surface of components being heated; however, the film is readily removed by mechanical means. Since the size of PSC particles is not critical in forging operations, the crumbling of the PSC during transportation does not impair its usefulness in forging and welding operations. Sanitary conditions during operations employing SPC are not only comparable to those prevailing during operations involving other types of fuel but are even somewhat more favorable.

G.K.

Card 2/2

SOKOLOVSKIY, Ye. Te., inzh.

Effectivenese of burning machine peat and briquets in heating furnaces. Torf.prom. 38 nc.1:13-16 '61. (MIRA 14:2

THE REPORT OF THE PROPERTY OF

1. Nauchno-issledovatel skiy institut Mestopron USSR. (Peat) (Fuel)

SOKOLOVSKIY, Ye.Ye., inzh.

Burning of solid fuel in heating furnaces. Trudy NIIMesttopproma no.17:118-134 '62. (MIRA 16:5)

(Furnaces, Heating) (Fuel--Testing)

ANDREYEV, N.; SOKOLOVSKIY, Yu.; CHIRKOVSKIY, A.

Develop general-purpose automotive transportation. Avt.transp. 33
no.2:4-5 F '55. (MIRA 8:5)

1. Glarkovskiy). 2.Nachal'nik avtootdela oblastnogo upravleniya
avtotransporta (for Andreyev). 3.Nachal'nik avtootdela kombinata
"Sakhalimugol'" (for Sokolovskiy).

(Transportation, Automotive)

SOKOLOVSKIY, Yu.A.

Shortcomings in the planning and the actual norms for geological-prospecting. Razved. i okh. nedr. 30 no.8:37-40 Ag 164. (MIRA 17:10)

1. Severo-Vostochnoye geologicheskoye upravieniye.

High	Yu.I. (Khar'kov) -speed program-controlle le 17 no.l:6-22 Ja-F '57	d calculating mach	hines. Fiz. v (MLRA 10:2)		
	(Electronic calculating machines)				

AND THE PROPERTY OF THE PROPER

PHASE I BOOK EXPLOITATION

SOV/4833

Sokolovskiy, Yuriy Iosifovich

Kibernetika nastoyashchego i budushchego; o "razumnykh" mashinakh, iskusstvennykh organakh chuvstv, avtomaticheskom perevode knig, matematicheskoy logike i fiziologii nervnoy deyatel'nosti (Cybernetics of the Present and of the Future; On "Intelligent" Machines, Artificial Organs of Sense, Automatic Book Translation, Mathematical Logic, and Physiology of Nervous Activity) [Khar'kov] Khar'kovskoye knizhnoye izd-vo, 1959. 190 p. 36,000 copies printed.

Ed.: R.Ya. Kal'nitskiy; Tech. Ed.: M.G. Shevchenko.

PURPOSE: This book is intended for the general reader.

COVERAGE: The author discusses information and its measurement, automation, electronic computers, translating and chess-playing machines, future possibilities of cybernetics, and the interrelation between cybernetics and physiology. Attention is given to logic, generalization, specialization, binary numeration, the "golden rule" of the theory of information, interference suppression, automatic control, simulation, construction and use of computers, programming, machine translating, "electronic brain," and measuring, storing, and transmitting information. The BESM electronic computer of the Institut tochnoy mekhaniki i

Cyternetics of the Present (Cont.)

SOV/4833

vychislitel'noy tekhniki (Institute of Precision Mechanics and Computing Engineering) of the Academy of Sciences USSR is described. No personalities are mentioned. References appear in the section entitled, "What to Read on Cybernetics."

TABLE OF CONTENTS:

Foreword

3

- Ch. 1. What is Cybernetics?

 Is thought fast enough? What will the weather be tomorrow? Mathematics and logic. A new science is needed. Specialization and generalization. Energy and power engineering. Information and cybernetics. On strong and weak currents. Information in various forms. Soul and wax. Subject and method of cybernetics.
- Ch. 2. How is Information Measured?

 Qualitative variety of communicated information. How on earth should information be measured? Breaking down a nonstandard question. Measuring information in complicated cases. Statistical answers. The measure of indefiniteness is entropy.

 Card 2/4203

APPROVED FOR RELEASE: 08/25/2000 CIA-RDP86-00513R001652120020-2"

PHASE I BOOK EXPLOITATION SOV/4595

Sokolovskiy, Yuriy Iosifovich, Docent, and Vasiliy Ivanovich Shilov, Engineer

- Fotonnyy zvezdolet; o vozmozhnostyakh i trudonostyakh poleta za predely Solnechnoy sistemy (Photon Space Ship; Possibilities and Difficulties of Flights Beyond the Solar System) Khar'kov, Izd-vo Khar'kovskogo gos. univ. im. A. M. Gor'kogo, 1960. 47 p. 100,000 copies printed.
- Resp. Ed.: V. I. Khristenko, Candidate of Technical Sciences; Ed.: A. S. Nesterenko; Tech. Ed.: A. S. Trofimenko.
- PURPOSE: This popular science booklet is intended for the general reader.
- COVERAGE: The booklet describes the physical principles which would govern the operation of a future photon space ship. The weight, pressure, and reaction of light, antimatter, and laws of the theory of relativity are discussed. The foreword is written by N. P. Selivanov, Candidate of Physics and Mathematics. There are 26 references: 24 Soviet (including 1 translation), and

Card 1/3

Photon Space Ship (Cont.) SOV/4595	
2 German.	
TABLE OF CONTENTS:	
Foreword	5
From the First Space Rocket to the Photon Space Ship The start of the cosmic era. Beyond Uranus is "Trans- Uranus". Struggle for speed. Weighing machine and light. Jet and ray. Atomic "twins". "Worlds" and "antiworlds". Light instead of ashes and smoke. Where is antimatter gotten?	7
The Future Photon Space Ship Photon motor. Storage of antimatter. Food problem. Living quarters. Communication with the Earth. Space ship landing and take off. Competitors of photon rockets	23
Special Features of Space Travels Future routes. Landscape without parallel. Vexatious limitation. Speed effects. Timepieces and speed.	33
Card 2/3	

THE REPORT OF THE PROPERTY OF

PHASE I BOOK EXPLOITATION

SOV/5024

Sokolovskiy, Yuriy Iosifovich

- Teoriya otnositel'nosti v elementarnom izlozhenii (A Simple Exposition of the Theory of Relativity) Khar'kov, Izd-vo Khar'kovskogo univ., 1960. 173 p. 15,000 copies printed.
- Resp. Ed.: I. M. Lifshits, Corresponding Member, Academy of Sciences USSR: Ed.: T. M. Kurilova; Tech. Ed.: A. S. Trofimenko.
- PURPOSE: This book is intended for students, teachers, engineers, lecturers, and for the general reader without special training interested in the theory of relativity in connection with problems of astronautics, nuclear physics, and present-day radio communications technique.
- COVERAGE: The book explains the special theory of relativity in a clear and elementary manner so as to permit the non-specialist to understand basic concepts and conclusions.

Card 1/6-

A Simple Exposition (Cont.)

SOV/5024

The physical basis of the theory, its principal formulas, laws and applications are discussed in sufficient detail and in simple language but without vulgarization. The book gives much attention to explaining paradoxes and to such often-posed questions as: "Is it possible to grow younger on the way?" [i.e., in the course of a cosmic flight], "Is it possible to fly into the future?", "Is there a straight line shorter than a curved one?", "Is the effect before the cause possible?", "Is movement faster than that of light conceivable?" The supplements resort to higher mathematics in the detailed discussion of certain problems, particularly those connected with the flight of a photon rocket. The author does not deal with the general theory of relativity (Einstein's theory of gravitation), but only with the "particular" or "special" theory of relativity. The section entitled "Four-dimensional vector of energy and impulse" was added to the text at the suggestion of Professor I. M. Lifshits, Corresponding Member AS USSR. This section gives some notion of

THE PROPERTY OF THE PROPERTY O

Card-2/6

A Simple Exposition (Cont.)

SOV/5024

the direct connection between the basic laws of dynamics of the theory of relativity and the relativistic nature of the space-time multiformity. There are 18 Soviet references, including 5 translations.

TABLE OF CONTENTS:

Preface	3
Ch. I. Origins of the Theory of Relativity 1. Systems of reference 2. Galilei's principle of relativity 3. Are the laws of optics invariable? 4. The Doppler effect 5. Electrodynamic forces and the inconstancy of mass 6. On the eve of Einstein's discovery	6 11 14 17 21 25
Ch. II. Relativistic Principle of Simultaneity 7. How to reconcile the irreconcilable	30
Card 3/6.	

SOKOLOVSKIY, Yuriy Iosifovich [Sokolovs'kyi, IU.I.], dotsent, kand. ped. nauk; YUSHCHENKO, K.L., kand. fiziko-mat. nauk, otv. red.; STA-ROSTENKO, T.M., red.; MATVIICHUK, O.A., tekhn. red.

[How machines calculate, translate books, and play chess] IAk machyny obehysliuiut', perekladaiut' knyhy i hraiut' u shakhy.

Kyiv, 1961. 44 p. (Tovarystvo dlia poshyrennia politychnykh i naukovykh znan' Ukrains'koi RSR. Ser.6, no.8) (MIRA 14:9)

(Electronic calculating machines) (Translating machines)

SOKOLOVSKIY, Yu. [Sokolovs'kyi, IU.], dotsent, kand.pedagog.nauk				
Interesting fac		ty. Znan. ta pr ricity)	ratsia no.5:31 My '61. (MIRA 14:5)	
		<u></u>		

SOKOLOVSKIY, Yu. [Sokolovs'kyi, IU.], dotsent, kand.podagog.nauk

Interesting facts on electricity. Znan. ta pratsia no.7:
30-31 J1 '61. (MIRA 14:8)

(Electricity)

SOKOLOVSKIY, Yu. [Sokolovs'kyi, IU.], dotsent, kand.pedagog.nauk

Interesting facts about electricity. Znan.ta pratsia no.9:25
S '61. (MIRA 14:8)

是可以可以**是是这个人的现在分词的**是是一种,但是是是一种的,也是是一种的。

SOKOLOVSKIY, Yuriy Iosifovich; GALANIN, D.D., red.; SHAPOSHNIKOVA, A.A., red.; LEVINA, A.B., red.; TARASOVA, V.V., tekhn. red.

[The concept of work and the law of conservation of energy; a scientific methodological analysis with a historical review] Poniatic raboty i zakon sokhraneniia energii; nauchnometodicheskii analiz s istoricheskim ocherkom. Pod red. i s predisl. D.D.Galanina. Moskva, Izd-vo Akad. pedagog. nauk RSFSR, 1962. 339 p. (MIRA 15:11)

1. Chlen-korrespondent Akademii pedagogicheskikh nauk RSFSR (for Galanin).

(Force and energy)

SOKOLOVSKIY, Yu.I., sotsent (Khar'kov)

Elementary exposition of the fundamentals of the restricted theory of relativity. Fiz. v shkole 22 no.3:96-106 My-Je '62.

(MIRA 15:7)

(Relativity (Physics)--Study and teaching)

Next to the light. Znan.-sila 37 no.9:8-11 S '62. (MIRA 15:12)

(Relativity (Physics))

。 第一个时间,我们就是一个时间,我们就是一个时间,我们就是一个时间,我们就是一个时间,我们就是一个时间,我们就是一个时间,我们就是一个时间,我们就是一个时间,我们

SOKOLOVSKIY, Yuriy Iosifovich, kand. pedag. nauk, dots.; FAYNBOYM, I.B., red.; ATROSHCHENKO, L.Ye., tekhn. red.

[Surprising facts about velocities near to that of light; dialogues on the relativity theory] Siurprizy okolosvetovykh skorostei; dialog o teorii otnositel'nosti. Moskva, Izd-vo "Znanie," 1963. 22 p. (Novoe v zhizni, nauke, tekhnike. IX Seriia: Fizika i khimiia, no.10) (MIRA 16:6) (Relativity (Physics)) (Light-Speed)

SOKOLOVSKIY, Yu. [Sokolovs'kyi, IU.], dotsent

Mass and energy. Nauka i zhyttia 12 no.12:46-47 D '62.


(MIRA 16:8)


SURVENCE FOR THE SURVEY CONTROL OF THE SURVE

SOKOIOVSKIY, Yuriy Iosirovich; KOZLOV, V.D., red.

[Theory of relativity in an elementary explanation]
Teoriia otnositel'nosti v elementarnom izlozhenii. Izd.2.
perer. Moskva, Izd-vo "Nauka," 1964. 197 p.

(MIRA 17:6)





Polarization during the anodic dissolution of metallic combin

in a fused cute, the mixture of lithium and potaggium chloriden. Trudy Inst. clektrokhim. UFAN SSSR no.5:17-31 164.

Interaction of trivalent cerium ions with fluorine amions in a medium of a fused LIC1 - KCl eutectic. Ibia.:33-40

Electrode processes in the electrolycis of cerium in chloridefluoride melts. Ibid.:47-51

(MIRA 18:2)

SMAINOV, M.V.: SOMEDIAVERYV, Th.E.; KHASHAV, Th.M.

Equilibrium between cerium a d its bi- and trivalent ions in a fused sutectic mixture of lithium and potassium chloriles. Trudy Inst. elektrokhim. UFAN SSSR no.5:7-16 '64.

(MIRA 18:2)

SCHOLOVERIT, Ye.S.; SHERROY, M.V.; SKIBA, G.V.

Coefficients of diffusion of trivalent cerium in fused salt mixtures LiCl - KCl : ad LiCl - KCl + LiF. Trudy Inst. elektrokhim. UFAN SSSR no.5.41-45 '64.

(MIRL 18:2)

SOKOLOVSKIY, Yuriy Yefimovich; YASTRZHEMBSKIY, L.A., retsenzent; ROMANOV, V.G., retsenzent; KUZOVLEVA, T.V., red. izd-va; YERMAKOVA, T.T., tekhn. red.

[Along the blue roads of Moscow and its envirous guidebook] Po golubym dorogam Moskvy i Podmoskov'ia; putevoditel'. Moskva, Izd-vo "Rechnoi transport," 1961. 166 p. (MIRA 14.8) (Moscow Valley—Guidebooks)

(Moscow Valley—Inland water transportation)

SOBOTOVICH, Ivan Dmitriyevich; SOBOTOVICH, Yevdokiya Pavlovna;
SOKOLOVSKIY, Yu.Ye., retsenzent; IVSHIN, Ye.A., retsenzent;
TTUKAVIN: J.N., red. izd-va; BODROVA, V.A., tekhn. red.


[Along the Moscow Canal] Po kanalu imeni Moskvy. Moskva, Izdvo "Rechnoi transport," 1962. 123 p. (MIRA 15:5)

(Moscow Canal region---Guide books)

KOZICKA-NOWAKOWA, E.; SOKOLOWA, J.

The effect of the comfrey mowing date upon the yields of green mass and its alimental constituents. Rocz nauk roln rosl 82 no.4:1041-1045 61.

1. Stacja Hodowlano-Badawcza, Instytut Hodowii i Aklimatyzacji Roslin, Grodkowice i Katedra Zywienia Zwierzat, Wyzsza Szkola Rolnicza, Krakow.



CONTROL OF THE CONTRO

MALACHOWSKA, I., KAMABUSOWA, I. LEWEMFISZ-WOJNAROSKA, T. SOKOLOWSKA, A.

Role of bacterium coli alpha & beta type in etiology of infantile diarrhea. Pediat. polska 30 no.3:211-216 Mr 155.

1. Panstwowego Zakladu Higieny w Warszawie. Dyrektor: prof. dr med. F. Przesmycki, Z I Kliniki Chorob Dzieciecych, A.M. w Warsza wie, Kierownik: prof. dr Med. R. Baranski; i z II Kliniki Chorob Dzieciecych A.M. w Warszawie, Kierownik: prof. dr med. M. Michalowicz, Warszawa, Chocimska 24, P.Z.H.

(DIARRHEA, bacteriology

E. Coli, serol type alpha & beta etiol. role in inf.) (ESCHERICHIA COLI, infections

diarrhea, eticl. role of serol. type alpha & beta, in inf.)

POLAND/Organic Chemistry. Synthetic Organic Chemistry.

G

Abs Jour: Ref Zhur-Khim., No 2, 1959, 4656.

Author : Czerwinska-Fejgin, E., Polaczkowa, W., and

Sokolowska, A.

Inst Title

: On 3,4,5-Triphenylaniline.

Orig Pub: Roczniki Chen, 32, No 2, 265-270 (1958) (in Polish with

English and Russian Surmaries)

: The rearrangement of the oxime of 3,4,5-triphenyl-Title

cyclohexene-2-one (I, In oxine) under the action of (CH,CO),O (II) and of CH,CCCl (III) in the presence of pyridine has been used in the synthesis of 3,4,5-(C,He); C,H2NH-COCH3 (IV). The hydrolysis of IV gives 3,4,5-(C,H3); C,H2NH2 (V). The

: 1/4 Card

POLAND/Organic Chemistry. Synthetic Organic Chemistry.

G

Abs Jour: Ref Zhur-Khim., No 2, 1959, 4656.

3 hrs (yield 80%). IV is prepared by refluxing 0.075 mol Ia, 0.5 mol II, and 0.1 mol pyridine until dissolution is complete (~30 min) followed by the gradual addition of 0.32 mol III while the reaction mixture is cooling, after which the solution is refluxed for an additional hr, the solidifying formed on cooling is decomposed with 50 ml water and made alkaline with NH40H while cooling with ice; the yield is 70%, mp 213-214° (from alc). 0.04 mol IV and 0.24 mol KOH in 150 ml alcohol are refluxed for 3.5 hrs, giving 64.3% V, mp 160.5-162° (from alc); hydrochloride mp 211-213°, picrate mp 207-210° (decomp; from alc), benzoyl derivative mp 191-192.5° (from petroleum ether). 6 mmols V in 24 ml glacial

card : 3/4

••				0.00	
				7	
					•
	ing mana	ms of neutron-activated arres	BIG COMDDOURANTANE. / (9.9(BB)	
	Nuclear 1 12, 18-29	Research, Warsaw). J. Inorgo (1959).—Di- and monophen Phenyl radicals may form fr ergy As atoms with C.H., or by neutralizing positively chr	vi As counds are	/ / -	•
	•		James Jo, Management		•
nak ini ay ne qa'u dahahahahahahahahah			•		
	grand and the second se	antanidikan di		and and a subsequence of the sub	e e e e e e e e e e e e e e e e e e e
	i inairengaari	veguesani karasasa			583

SOKOLOWSKA, Alicja

Application of reversed phase partition chromatography to the separation of n-hexyliodide from iodobenzene and n-propyliodide. Nukleonika 8 no.5:341-343 363.

1. Department of Radiochemistry, Institute of Nuclear Research, Warsaw 9.

L 41809-66 MT(j) RU
ACC NR. AP6031693 (N) SOURCE CODE: PO/0099/66/040/003/0411/0420
AUTHOR: Hahn, Witold E.; Sokolowska, Alicja
ORG: Department of Organic Chemistry, University, Lodz (Katedra Chemii Organicznej Uniwersytetu)
TITIE: Synthesis of aminoalcohols. VIII. Derivatives of beta-mercapto-alpha-arylhydrazono-propane
SOURCE: Roczniki chemii-annales societatis chimicae polonorum, v. 40, no. 3, 1966, 411-420
TOPIC TAGS: organic synthetic process, sulfone, sulphinic acid, mercaptan, condensation reaction, formaldehyde
ABSTRACT: β-Arylhydrazone-α-ketosulphides or sulphones have been obtained in the reaction of mercaptanes or sulphinic acids with Mannich bases synthesized from the ω-arylhydrazone derivatives of glyoxal. Direct three-component condensation of formaldehyde, CH and SH acidic compounds yielded the same compounds. The sulphides were oxidized to sulphoxides and sulphones. Orig. art. has: 6 figures and 2 tables. [Based on authors' Eng. abst.] [JPRS: 36,002]
SUB CODE: 07 / SUBM DATE: 20Apr65 / ORIG REF: 003 / OTH REF: 016
Cord 1/1 af 0393

SCRODSKI, Bugeniuss; SOKOLOWSKA, Bosenna

Isolation of strain Listerella monocytogenes from hare;
preliminary communication. Bull. State Inst. Marine Trop. M.
Gdansk Vol.5:88-90 1953.

1. Z Panstwowego Instytutu Medycyny Morskiej i Tropikalnej w
Gdansku i Fanstwowego Instytutu Weterynarii w Pulawach.

(LISTERIA,

*monocytogenes, isolation from hare)
(NODENTS,

*hare, isolation of Listeria monocytogenes)

SOKOLOWS KA, BOZONNA

SKRODSKI, Bugeniusz; SOKOLOWSKA, Bozonna

Cases of tularemia in dogs. Bull. State Inst. Marine Trop. M. Gdansk Vol.5:91-94 1953.

1. Z Panstwowego Instytutu Medycyny Morskiej i Tropikalnej w Gdansku i Panstwowego Instytutu Weterynarii w Pulawach.

(TULAREMIA, (DOGS, diseases, *in dogs) *tularemia)

SCHOLOUSKA BOZENNA; TWOREK, Romuald SZKODZKI, Eugeniusz; LAZYGA, Kazimierz; SOKOLOWSKA, Bozenna; TWOREK, Romuald

Tularemia in Szczecin Voievodship. V. Infection of cattle with tularemia. Przegl. epidem., Warsz. 8 no.3:179-184 1954.

1. Instytut Medycyny Morskiej i Tropikalnej, Panstw. Zakl. Higieny, Inst. Medycyny Pracy Wsi, Panstw. Instytut Weterynaryjny
(TULAREMIA, epidemiology
in Poland, infect. in cattle)
(CATTLE, diseases
tularemia, epidemiol. in Poland)

SKRODZKI, E.; LAZUGA, K.; SOKOLOWSKA, B.; TWOREK, R.

Investigations on tularemia in cattle. Bull. Inst. Marine
Trop. M.Gdańsk 6:77-85 1955.

1. Z Panstwowego Instytutu Medycyny Morskiej i Tropikalnej w
Gdansku Instytutu Medycyny Pracy Wsi w Lublinie, Panstwowego
Instytutu Weterynaryjnego w Pulawach, Panstwowego Zakladu

Higieny w Warszawie.
(CATTIE, diseases,
tularemia)
(TULAREMIA,
in cattle)

SOKOLOWSKA, Bogumila.

Case of tuberculosis of the lymphatic system. Gruslica 23 no.10: 731-732 Oct 55.

LEGGERALDER (REMEDIA)


1. Z Zakladu Radiologii Instytutu Gruslicy w Varszawie. Kierownik: doc. dr. Krystyna Ossowska. Dyrektor: prof. dr. Janina Misiewics. Warszawa, ul. Plocka 26.


(TUBERCULOSIS, LYMPH NODE, case report)


STAHIEWSKI, Kyszard; KOWALSKI, Mieczyslaw; GCGACZ, Edward; SOKOLOWSKA, Franciszka

Susceptibility of Rhizobium strains to phages. Acta microbiol. polon. 11 no.3:245-254 162.

1. From the Department of General Microbiology, Mariae Curie.. Sklodowska University, Lublin. (BACTERIOPHAGE)







SOKOLOWSKA, J.

To phenological observers. (p. 2) of cover. GAZETA OBSERWATORA. Warszawa. Vol. 8, no. 7, July 1955.

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3, March 1956

SCHOLATSHA, J.

SCILICE

periodicals: MALETA OMMEROT MA.F.I.H.M. Vol. 12, no. 2, Feb. 1950 SON/LOUTEA, J. Phenological information. p. 15.

Nonthly List of Last European Accessions (FEM1) LC Vol. 8, no. 5 May 1959, Unclass.

SOKOLOVSKA, J.

The genus Acer, the maple femily. p.10.

CAZFTA CBSE WATORA. P.I.H.M. Warszawa, Poland. Vol. 12, no. 4, Apr. 1959

Monthly List of East European Accessions Index (FEAI), LC. Vol. 8, No. 9, September 1959 Uncl.

MIEROSIAWSKI, Witold; KREJCZY, Halina; SOKOLOWSKA, Maria

Congenital ichthyosis in 2 successive pregnancies. Przegl. derm. Warsz. 8 no.6:621-625 1958.

1. Z Oddzialu Nowordkow I Kliniki Chorob Kobiecych i Poloznictwa A. M. w Gdansku Kierownik: doc. dr S. Metler Zlurator Oddzialu: prof. dr K. Brecinski Z Zakladu Anatomii Patologicznej A. M. w Gdansku Kierownik: prof. dr W. Czarnocki. Adres: Gdanski, I Klinika Chorob Dzieciecych Akademii Medycznej, ul. Debinki 7a.

(ICHTHYOSIS, case reports congen. in brother & sister (Pol))
(INFANT, NEWBORN, dis. ichthyosis in brother & sister, case reports (Pol))

Protection of worker's health in Polish People's Republic. Zdrowie

pub. Warsz. No.4:286-293 July-Aug 54. (INDUSTRIAL HYGIENE, in Poland)

SOKOLOWSKA, M., Dr. Working method of the medical unit at the Stalin woollen mill in Lodz. Zdrowie pub., Warszawa no.6:460-474 Nov-Dec 54.
(INDUSTRIAL HYGIENE

in Poland, wool ind.)